Product Image	Model No.	Description	Bottom Price VAT Ex (PHP)	SRP VAT Ex (PHP)	
Pan&Tilt Camera	VIGI C540- 4G(4mm)	4MP 4G LTE Full-Color Wi-Fi Pan/Tilt Network Camera SPEC: 4G Cat4 150/50 Mbps, LTE-FDD/LTE- TDD/HSPA+/UMTS, H.265+/H.265/H.264+/H.264, 1/3" Progressive Scan CMOS, Color/0.005 Lux@F1.6, 0 Lux with IR/White Light, 25fps/30fps (2560x1440,2304x1296, 2048x1280, 1920x1080), 12V DC, 4 mm Fixed Lens, Built-In Microphone, Speaker, micro-SD Slot, IP66 FEATURE: Full-Color and IR Night Vision (Up to 30 m), Customized Patrol, Automatic Tracking, Active Defense, Two- Way Audio, On-Board Storage, Smart Detection (Human & Vehicle Classification)(Motion Detection, Area Intrusion Detection, Camera Tampering Detection, Chandoned Object Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Vehicle Detection,	9990	9990	

VIGI C540S(4mm)	4MP ColorPro Pan/Tilt Network Camera SPEC:H.265+/H.265/H.264+/H.2 64, 1/1.8" Progressive Scan CMOS, Color/0.0005 Lux@F1.0, 0 Lux with White Light, 25fps/30fps (2688x1520,2304x1296, 2048x1280, 1920x1080), PoE/12V DC, 4 mm Fixed Lens, Built-In Microphone, Speaker, micro-SD Slot, IP66 FEATURE: ColorPro Night Vision (Up to 30 m), AI Pro(Face Capture, People & Vehicle Analytics), Customized Patrol, Automatic Tracking, Active Defense, Two-Way Audio, On-Board Storage, Smart Detection (Human &Vehicle Classification)(Motion Detection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Vehicle Detection, Human detection), Camera	8290	8990	
VIGI C540- W(4mm)	4MP Full-Color Wi-Fi Pan/Tilt Network Camera SPEC:2.4G 150Mbps, 2*2 MIMO, H.265+/H.265/H.264+/H.264, 1/3" Progressive Scan CMOS, Color/0.005 Lux@F1.6, 0 Lux with IR/White Light, 25fps/30fps (2560x1440,2304x1296, 2048x1280, 1920x1080), 12V DC, 4 mm Fixed Lens, Built-In Microphone, Speaker, micro-SD Slot, IP66 FEATURE: Full-Color and IR Night Vision (Up to 30 m), Customized Patrol, Automatic Tracking, Active Defense, Two- Way Audio, On-Board Storage, Smart Detection (Motion Detection(Human Targets Classification), Camera Tampering, Line-Crossing, Area Intrusion), SmartVid (Smart IR, WDR. 3D DNR, BLC), ONVIF.	5940	7990	

	VIGI C540V	4MP Dual-Lens Varied Focal Full-Color PT Camera SPEC:H.265+/H.265/H.264+/H.2 64, 1/3" Progressive Scan CMOS, Color/0.005 Lux@F1.6, 0 Lux with IR/White Light, 25fps/30fps (2560x1440,2304x1296, 2048x1280, 1920x1080), PoE/12V DC, 4 mm-12mm Varied Focal Lens, Built-In Microphone, Speaker, micro-SD Slot, IP66 FEATURE: Full-Color and IR Night Vision (Up to 30 m), Customized Patrol, Automatic Tracking, Active Defense, Two-Way Audio, On-Board Storage, Smart Detection (Motion Detection(Human Targets Classification), Camera Tampering, Line-Crossing, Area Intrusion), SmartVid (Smart IR, WDR 3D DNR BLC) ONVIE	6490	6990	
	VIGI C540(4mm)	WDR. 3D DNR. BLC). ONVIF. 4MP Full-Color Pan/Tilt Network Camera SPEC:H.265+/H.265/H.264+/H.2 64, 1/3" Progressive Scan CMOS, Color/0.005 Lux@F1.6, 0 Lux with IR/White Light, 25fps/30fps (2560x1440,2304x1296, 2048x1280, 1920x1080), PoE/12V DC, 4 mm Fixed Lens, Built-In Microphone, Speaker, micro-SD Slot, IP66 FEATURE: Full-Color and IR Night Vision (Up to 30 m), Customized Patrol, Automatic Tracking, Active Defense, Two- Way Audio, On-Board Storage, Smart Detection (Motion Detection(Human Targets Classification), Camera Tampering, Line-Crossing, Area Intrusion), SmartVid (Smart IR, WDR. 3D DNR. BLC). ONVIE.	5180	5990	
Turret Camera		WDR. 3D DNR. BLCI. UNVIE.	6		
		OW MINN			_

₽	VIGI 3450(2.8/4mm)	5MP Full-Color Turret Network Camera SPEC:H.265+/H.265/H.264+/H.2 64, 1/2.7" Progressive Scan CMOS, Color/0.005 Lux@F1.6, 0 Lux with IR/White Light, 25fps/30fps (2880x1620, 2048x1280, 1920x1080,1280x720), Ture WDR, PoE/12V DC, 2.8/4mm Fixed Lens, Built-In Microphone, Speaker, micro-SD Slot FEATURE: Full-Color and IR Night Vision (Up to 30 m), Active Defense, Two-Way Audio, On- Board Storage, Smart Detection (Motion Detection(Human Targets Classification), Camera Tampering, Line-Crossing, Area Intrusion), SmartVid (Smart IR, 3D DNR, BLC), Corridor Mode, ONVIF, Remote Monitoring, VIGI	3390	3890	
Poblivia	VIGI C445(2.8mm)	App. Web. VIGI Security 4MP Full-Color Turret Network Camera SPEC: 4MP, 2.8mm Fixed Lens, 1/2.7" Progressive Scan CMOS, H.265+/H.265/H.264+/H.264, IR/White LED, 25fps/30fps (2688x1520), IP67,Web, PoE/DC 12V,120dB WDR, Built- in MIC/Speake, micro-SD Slot FEATURE: Full-Color and IR Night Vision (Up to 30 m), Smart Detection (Human &Vehicle Classification)(MotionDetection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Abandoned ObiectDetection, Obiect Removal Detection, Area Entrance Detection, Area Exiting Detection, Human Detection), SmartVid (Smart IR, 3D DNR, BLC), ONMF, Remote Monitoring, VIGI App, Web, VIGI Security Manager	3690	3990	

P		4MP Full-Color Wi-Fi Turret Network Camera SPEC:2.4G 150Mbps, 2*2 MIMO, H.265+/H.265/H.264+/H.264, 1/3" Progressive Scan CMOS, Color/0.005 Lux@F1.6, 0 Lux with IR/White Light, 25fps/30fps (2560x1440,2304x1296, 2048x1280, 1920x1080), 12V DC, 4 mm Fixed Lens, Built-In Microphone, Speaker, micro-SD Slot FEATURE: Full-Color and IR Night Vision (Up to 30 m), Active Defense, Two-Way Audio, On- Board Storage, Smart Detection (Motion Detection(Human	3080	4590	
80))	Targets Classification), Camera Tampering, Line-Crossing, Area Intrusion), SmartVid (Smart IR, WDR, 3D DNR, BLC), Corridor Mode, ONVIF, Remote 4MP Full-Color Turret Network	on		
		Camera SPEC:H.265+/H.265/H.264+/H.2 64, 1/3" Progressive Scan CMOS, Color/0.005 Lux@F1.6, 0 Lux with IR/White Light, 25fps/30fps (2560x1440,2304x1296, 2048x1280, 1920x1080), PoE/12V DC, 2.8mm/4mm Fixed Lens, Built-In Microphone, Speaker, micro-SD Slot FEATURE: Full-Color and IR Night Vision (Up to 30 m), Active Defense, Two-Way Audio, On- Board Storage, Smart Detection (Motion Detection(Human Targets Classification), Camera Tampering, Line-Crossing, Area Intrusion), SmartVid (Smart IR, WDR, 3D DNR, BLC), Corridor Mode, ONVIF, Remote Monitoring, VIGI App. Web. VIGI		3590	

	4MP Turret Network Camera SPEC: H.265+/H.265/H.264+/H.264, 1/3" Progressive Scan CMOS, Color/0.01 Lux@F2.2, 0 Lux with IR, 25fps/30fps (2560x1440,2304x1296,2048x12 80, 1920x1080,1280x720), PoE/12V DC, 2.8/4mm Fixed Lens			80
VIGI C440I(2.8/4mm)	FEATURE: Smart Detection (Human &Vehicle Classification)(Motion Detection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Vehicle Detection, Human detection), SmartVid (Smart IR, DWDR, 3D DNR, BLC), IR Night Vision (Up to 30 m). Corridor Mode. ONVIF.	2100	2490	
VIGI C430(2.8/4mm)	3MP Full-Color Turret Network Camera SPEC:H.265+/H.265/H.264+/H.2 64, 1/2.8" Progressive Scan CMOS, Color/0.005 Lux@F1.6, 0 Lux with IR/White Light, 25fps/30fps (2304x1296,2048x1280, 1920x1080,1280x720), PoE/12V DC, 2.8/4mm Fixed Lens, Built- In Microphone FEATURE: Full-Color and IR Night Vision (Up to 30 m), Smart Detection (Human &Vehicle Classification)(Motion Detection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Vehicle Detection Human detection), SmartVid (Smart IR, DWDR, 3D DNR, BLC), Corridor Mode, ONVIF, Remote Monitoring, VIGI App,	2290	2590	

	VIGI C430I(2.8/4mm)	3MP Turret Network Camera SPEC: H.265+/H.265/H.264+/H.264, 1/2.8" Progressive Scan CMOS, Color/0.01 Lux@F2.2, 0 Lux with IR, 25fps/30fps (2304x1296,2048x1280, 1920x1080,1280x720), PoE/12V DC,2.8/4mm Fixed Lens FEATURE: Smart Detection (Human &Vehicle Classification)(Motion Detection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Vehicle Detection , Human detection), SmartVid (Smart IR, DWDR, 3D DNR, BLC), IR Night Vision (Up to 30 m). Corridor Mode. ONVIF.	1490	1990	
	VIGI C420I(2.8/4mm)	m). Corridor Mode. ONVIF. 2MP Turret Network Camera SPEC: H.265+/H.265/H.264+/H.264, 1/3" Progressive Scan CMOS, Color/0.01 Lux@F2.2, 0 Lux with IR, 25fps/30fps (1920x1080,1280x960, 1280x720), PoE, 2.8/4 mm Fixed Lens FEATURE: Smart Detection (Human &Vehicle Classification)(Motion Detection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Vehicle Detection, Human detection), SmartVid (Smart IR, DWDR, 3D DNR, BLC), IR Night Vision (Up to 30 m). Corridor Mode. ONVIF.	1560	1850	
Bullet Camera					

	6/		
4MP Full-Color Bullet Network Camera SPEC: 4MP, 4mm Fixed Lens, 1/2.7" Progressive Scan CMOS, H.265+/H.265/H.264+/H.264, IR/White LED, 25fps/30fps (2688x1520), IP67,Web, PoE/DC 12V,120dB WDR, Built- in MIC/Speake, micro-SD Slot FEATURE: Full-Color and IR Night Vision (Up to 30 m), Smart Detection (Human &Vehicle Classification)(MotionDetection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Abandoned ObiectDetection, Obiect Removal Detection, Area Entrance Detection, Area Exiting Detection, Human Detection), SmartVid (Smart IR, 3D DNR, BLC), ONMF, Remote Monitoring, VIGI App, Web, VIGI Security Manager	3790	4090	

2	VIGI C340S(4mm)	4MP Outdoor ColorPro Night Vision Bullet Network Camera SPEC: 4MP, 4mm Fixed Lens, 1/1.8" Progressive Scan CMOS, H.265+/H.265/H.264+/H.264, White LED, 25fps/30fps (2688x1520, 2560x1440, 2304x1296, 2048x1280, 1920x1080, 1280x720), IP67,Web, PoE/DC 12V,120dB WDR, Built-in MIC/Speake, micro-SD Slot FEATURE: Full-Color Night Vision (Up to 30 m), Smart Detection (Human &Vehicle Classification)(MotionDetection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Abandoned ObjectDetection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Loitering Detection, Scene Change DetectionVehicle Detection, Human Detection), Deep Learning Function (Supports Simultaneous Detection and Capture of Human Body and Vehicle, Face Capture, Face Comparison), SmartVid (Smart IR, 3D DNR,	6490	7290	
	VIGI C340- W(4mm)	4MP Outdoor Full-Color Wi-Fi Bullet Network Camera SPEC:2.4G 150Mbps, 2*2 MIMO, H.265+/H.265/H.264+/H.264, 1/3" Progressive Scan CMOS, Color/0.005 Lux@F1.6, 0 Lux with IR/White Light, 25fps/30fps (2560x1440,2304x1296, 2048x1280, 1920x1080), 12V DC, 4 mm Fixed Lens, Built-In Microphone, Speaker, micro-SD Slot, IP66 FEATURE: Full-Color and IR Night Vision (Up to 30 m), Active Defense, Two-Way Audio, On- Board Storage, Smart Detection (Motion Detection(Human Targets Classification), Camera Tampering, Line-Crossing, Area Intrusion), SmartVid (Smart IR, WDR, 3D DNR, BLC), ONVIF, Remote Monitoring, VIGI App.	3700	4690	

	les .	•		-
VIGI C340(2.8/4/6mm)	4MP Outdoor Full-Color Bullet Network Camera SPEC: H.265+/H.265/H.264+/H.264, 1/3" Progressive Scan CMOS, Color/0.005 Lux@F1.6, 0 Lux with IR/White Light, 25fps/30fps (2560x1440,2304x1296, 2048x1280, 1920x1080), PoE/12V DC, 2.8/4/6mm Fixed Lens, Built-In Microphone, Speaker, micro-SD Slot, IP66 FEATURE: Full-Color and IR Night Vision (Up to 30 m), Active Defense, Two-Way Audio, On- Board Storage, Smart Detection (Human &Vehicle Classification)(Motion Detection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Vehicle Detection, Human detection), SmartVid (Smart IR, DWDR, 3D DNR, BLC), ONVIF, Remote Monitoring, VIGI App, Web, VIGI	3200	3690	
VIGI C340I(2.8/4/6mm)	4MP Outdoor Bullet Network Camera SPEC: H.265+/H.265/H.264+/H.264, 1/3" Progressive Scan CMOS, Color/0.01 Lux@F2.2, 0 Lux with IR, 25fps/30fps (2560x1440,2304x1296,2048x12 80, 1920x1080,1280x720), PoE/12V DC, 2.8/4/6mm Fixed Lens, IP67 FEATURE: Smart Detection (Human &Vehicle Classification)(Motion Detection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Vehicle Detection, Human detection), SmartVid (Smart IR, DWDR, 3D DNR, BLC), IR Night Vision (Up to 30 m), ONVIF, Remote Monitoring,	2450	2990	S

VIGI C330(2.8/4/6mm)	3MP Outdoor Full-Color Bullet Network Camera SPEC: H.265+/H.265/H.264+/H.264, 1/2.8" Progressive Scan CMOS, Color/0.005 Lux@F1.6, 0 Lux with IR/W hite Light, 25fps/30fps (2304x1296,2048x1280, 1920x1080,1280x720), PoE/12V DC, 2.8/4/6 mm Fixed Lens, Built-In Microphone, IP67 FEATURE: Full-Color and IR Night Vision (Up to 30 m), Smart Detection (Human &Vehicle Classification)(Motion Detection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Vehicle Detection , Human detection), SmartVid (Smart IR, DWDR, 3D DNR, BLC), ONVIF, Remote Monitoring, VIGI App, Web, VIGI Security Manager	3290	3490	
VIGI C330I(2.8/4/6mm)	3MP Outdoor Bullet Network Camera SPEC: H.265+/H.265/H.264+/H.264, 1/2.8" Progressive Scan CMOS, Color/0.01 Lux@F2.2, 0 Lux with IR, 25fps/30fps (2304x1296,2048x1280, 1920x1080,1280x720), PoE/12V DC, 2.8/4/6mm Fixed Lens, IP67 FEATURE: Smart Detection (Human &Vehicle Classification)(Motion Detection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Vehicle Detection, Human detection), SmartVid (Smart IR, DWDR, 3D DNR, BLC), IR Night Vision (Up to 30 m). ONVIF. Remote Monitoring.	2290	2590	

Dom	VIGI C320I(2.8/4/6mm)	2MP Outdoor Bullet Network Camera SPEC: H.265+/H.265/H.264+/H.264, 1/3" Progressive Scan CMOS, Color/0.01 Lux@F2.2, 0 Lux with IR, 25fps/30fps (1920x1080,1280x960, 1280x720), PoE, 2.8/4/6mm Fixed Lens, IP67 FEATURE: Smart Detection (Human &Vehicle Classification)(Motion Detection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Vehicle Detection Human detection), SmartVid (Smart IR, DWDR, 3D DNR, BLC). IR Night Vision (Up to 30	1990	2190	
P.:p.link VV		4MP Full-Color Dome Network Camera SPEC: H.265+/H.265/H.264+/H.264, 1/3" Progressive Scan CMOS, Color/0.005 Lux@F1.6, 0 Lux with IR/White Light, 25fps/30fps (2560x1440,2304x1296, 2048x1280, 1920x1080), PoE/12V DC, 2.8/4 mm Fixed Lens, Built-In Microphone, micro-SD Slot, IK10, IP67 FEATURE: Full-Color and IR Night Vision (Up to 30 m), Smart Detection (Human &Vehicle Classification)(Motion Detection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Vehicle Detection, Human detection), SmartVid (Smart IR, DWDR, 3D DNR, BLC), ONVIF, Remote Monitoring, VIGI App, Web, VIGI Security Manager	2990	3490	

Ap sink VIGI	IGI C240I(2.8mm)	4MP Dome Network Camera SPEC:H.265+/H.265/H.264+/H.2 64, 1/3" Progressive Scan CMOS, Color/0.01 Lux@F2.2, 0 Lux with IR, 25fps/30fps (2560x1440,2304x1296, 2048x1280, 1920x1080), PoE/12V DC, 2.8 mm Fixed Lens, IK10, IP67 FEATURE: Smart Detection (Human &Vehicle Classification)(Motion Detection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Vehicle Detection , Human detection), IR Night Vision (Up to 30 m), SmartVid (Smart IR, WDR, 3D DNR, BLC)	2590	2690	
Property (VIGI	il C230(2.8/4mm)	Smart IR WDR 3D DNR BLC) 3MP Full-Color Dome Network Camera SPEC: H.265+/H.265/H.264+/H.264, 1/2.8" Progressive Scan CMOS, Color/0.005 Lux@F1.6, 0 Lux with IR/White Light, 25fps/30fps (2304x1296,2048x1280, 1920x1080,1280x720), PoE/12V DC, 2.8/4 mm Fixed Lens, Built- In Microphone, IK10, IP67 FEATURE: Full-Color and IR Night Vision (Up to 30 m), Smart Detection (Human &Vehicle Classification)(Motion Detection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Vehicle Detection, Human detection), SmartVid (Smart IR, DWDR, 3D DNR, BLC), ONVIF, Remote Monitoring, VIGI App, Web, VIGI Security Manager	2590	2790	

2230I(2.8/4mm	3MP Dome Network Camera SPEC:H.265+/H.265/H.264+/H.2 64, 1/2.8" Progressive Scan CMOS, Color/0.01 Lux@F2.2, 0 Lux with IR, 25fps/30fps (2304x1296, 2048x1280, 1920x1080), PoE/12V DC, 2.8 mm Fixed Lens, IK10, IP67 FEATURE: Smart Detection (Human &Vehicle Classification)(Motion Detection, Area Intrusion Detection, Line-Crossing Detection, Camera Tampering Detection, Ampering Detection, Object Removal Detection, Area Entrance Detection, Area Entrance Detection, IR Night Vision (Up to 30 m), SmartVid	2390	2490	
VIOI OZOJI Mini(2.8ml	(Smart IR WDR 3D DNR BLC) 3MP Mini Dome Network Camera SPEC:H.265+/H.265/H.264+/H.2 64, 1/2.8" Progressive Scan CMOS, Color/0.005 Lux@F1.6, 0 Lux with IR, 25fps/30fps (2304x1296, 2048x1280, 1920x1080), PoE/12V DC, 2.8 mm Fixed Lens, Built-In Microphone, Speaker, micro-SD Slot, IK08 FEATURE: Smart Detection (Human &Vehicle Classification)(Motion Detection, Area Intrusion Detection, Line- Crossing Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Vehicle Detection, Human detection), IR Night Vision (Up to 30 m), Two-Way Audio, On-Board Storage, SmartVid (Smart IR, WDR, 3D	4390	4590	

			6		
P tp link VIGI		2MP Dome Network Camera SPEC:H.265+/H.265/H.264+/H.2 64, 1/3" Progressive Scan CMOS, Color/0.01 Lux@F2.2, 0 Lux with IR, 25fps/30fps (1920x1080,1280x960, 1280x720), PoE, 2.8/4 mm Fixed Lens, IK10, IP67 FEATURE: Smart Detection (Human &Vehicle Classification)(Motion Detection, Area Intrusion Detection, Camera Tampering Detection, Camera Tampering Detection, Abandoned Object Detection, Object Removal Detection, Area Entrance Detection, Area Exiting Detection, Vehicle Detection, Human detection), IR Night Vision (Up to 30 m), SmartVid (Smart IR WDR 3D DNR BLC)	1890	1990	
NVR					
		32 Channel Network Video Recorder SPEC: H.265+/H.265/H.264+/H.264, Up to 8MP resolution, Decoding capability/16-ch @2MP, 320 Mbps Incoming Bandwidth(up to 32 channels), 4× SATA Interface(up to 40 TB), 2× 1000Mbps Ports, 2× USB 2.0, 1× USB 3.0, 1× VGA port & 1× HDMI port(Independent Outputs)	#####	16990	S
→ ±	Production (graph)	FEATURE: Auto Initialization, Smart Detection Configuration & Alarm, Two-Way Audio, Simultaneous Playback, Streamlined Setup, ONVIF, Remote Monitoring, VIGLADD 16 Channel PoE+ Network		160.	
VI	GI NVR2016H-16MP-	Video Recorder- Built in one 2TB HDD Spec:4K HDMI Video Output & 16MP Decoding Capacity; 24/7 Continuous Recording; 16- Channel Real-Time Live View;	#####	21990	

			8		
Ø-10-10-10-10-10-10-10-10-10-10-10-10-10-	VIGI NVR2016H-16M	16 Channel PoE+ Network Video Recorder Spec:4K HDMI Video Output & 16MP Decoding Capacity; 24/7 Continuous Recording; 16- Channel Real-Time Live View; 16-Channel Simultaneous Playback; H.265+; ONVIF Ensures Compatibility; Plug & Play; Remote Monitoring; Flexible Installation; 2 HDD Interface (up to 10 TB each), 1eSATA Interface; Support 16 PoE+ Ports (30W Max for each	#####	18990	
	VIGI NVR2016H-16F	16 Channel PoE+ Network Video Recorder Spec:4K HDMI Video Output & 16MP Decoding Capacity; 24/7 Continuous Recording; 16- Channel Real-Time Live View; 16-Channel Simultaneous Playback; H.265+; ONVIF Ensures Compatibility; Plug & Play; Remote Monitoring; Flexible Installation; 2 HDD Interface (up to 10 TB each), 1eSATA Interface; Support 16 PoE+ Ports (30W Max for each	#####	16990	
	VIGI NVR2016H	16 Channel Network Video Recorder Spec:4K HDMI Video Output & 16MP Decoding Capacity; 24/7 Continuous Recording; 16- Channel Real-Time Live View; 16-Channel Simultaneous Playback; H.265+; ONVIF Ensures Compatibility; Plug & Play; Remote Monitoring;	8690	8990	5
	VIGI NVR1016H	16 Channel Network Video Recorder SPEC: H.265+/H.265/H.264+/H.264, Up to 8MP resolution, Decoding capability/4-ch @2MP,80 Mbps Incoming Bandwidth(up to 16 channels), 1× SATA Interface(up to 10 TB), 1× 100Mbps Ports, 2× USB 2.0,12V DC 1.5 A, 1× VGA port & 1× HDMI port(Synchronous Outputs) FEATURE: Auto Initialization, Smart Detection Configuration & Alarm, Two-Way Audio, Simultaneous Playback,	4490	5490	

VIGINA	8 Channel Network Video Recorder SPEC: H.265+/H.265/H.264+/H.264, Up to 5MP resolution, Decoding capability/8-ch @2MP, 80 Mbps Incoming Bandwidth(up to 8 channels), 1× SATA Interface(up to 10 TB), 1× 100Mbps Ports, 2× USB 2.0, 12V DC 1.5 A, 1× VGA port & 1× HDMI port(Up to 4K)(Synchronous Outputs) FEATURE: FEATURE: Auto Initialization, Smart Detection Configuration & Alarm, Two-Way Audio, Simultaneous Playback, Streamlined Setup, ONVIF, Remote Monitoring, VIGI App, Web VIGI Security Manager	140 3990
VIGINVR	8 Channel PoE Network Video Recorder SPEC: H.265+/H.265/H.264+/H.264, Up to 8MP resolution, Decoding capability/8-ch@2MP/4-ch@4MP,80 Mbps Incoming Bandwidth(up to 8 channels),8×10/100 Mbps PoE+ Ports, PoE Powe 113W, 802.3 af/at,1×SATA Interface(up to 10 TB), 2×USB 2.0, 53.5V DC/2.43A, 1×VGA port & 1× HDMI port(Up to 4K)(Synchronous Outputs) FEATURE: Auto Initialization, Smart Detection Configuration & Alarm, Two-Way Audio, Simultaneous Playback, ONVIF, Remote Monitoring, VIGI App, Web, VIGI Security Manager	8290

VIGI NV	8 Channel PoE+ Network Video Recorder SPEC: H.265+/H.265/H.264+/H.264, Up to 8MP resolution, Decoding capability/8-ch@2MP/4-ch @4MP,80 Mbps Incoming Bandwidth(up to 8 channels),8× 10/100 Mbps PoE+ Ports, PoE Powe 53W, 802.3 af/at,1× SATA Interface(up to 10 TB), 2× USB 2.0, 53.5V DC/1.31A, 1× VGA port & 1× HDMI port(Up to 4K)(Synchronous Outputs) FEATURE: Auto Initialization, Smart Detection Configuration & Alarm, Two-Way Audio, Simultaneous Playback, ONVIF, Remote Monitoring, VIGI App, Web, VIGI Security Manager
VIGI NVR	4 Channel PoE Network Video Recorder- Built in 2TB HDD SPEC: H.265+/H.265/H.264+/H.264, Up to 8MP resolution, Decoding capability/4-ch @4MP,80 Mbps Incoming Bandwidth(up to 4 channels),4× 10/100 Mbps PoE+ Ports, Max Output 53W, 802.3 af/at,1× SATA Interface(up to 10 TB, Built in 2TB HDD), 2× USB 2.0, 53.5V DC/1.31A, 1× VGA port & 1× HDMI port(Up to 4K)(Synchronous Outputs) FEATURE: Auto Initialization, Smart Detection Configuration & Alarm, Two-Way Audio, Simultaneous Playback, ONVIF, Remote Monitoring, VIGI App, Web, VIGI Security Manager

# 10 mm = 1	VIGI NVR1004H-4P	4 Channel PoE Network Video Recorder SPEC:H.265+/H.265/H.264+/H.2 64, Up to 8MP resolution, Decoding capability/4-ch @4MP,80 Mbps Incoming Bandwidth(up to 4 channels),4× 10/100 Mbps PoE+ Ports, Max Output 53W, 802.3 af/at,1× SATA Interface(up to 10 TB), 2×	5490	5990	80
	7160.	USB 2.0, 53.5V DC/1.31A, 1× VGA port & 1× HDMI port(Up to 4K)(Synchronous Outputs) FEATURE: Auto Initialization, Smart Detection Configuration & Alarm, Two-Way Audio, Simultaneous Playback, ONVIF, Remote Monitoring, VIGI App, Web VIGI Security Manager 4 Channel Network Video	8		
Post 100	VIGI NVR1004H	A Channel Network Video Recorder SPEC: H.265+/H.265/H.264+/H.264, Up to 8MP resolution, Decoding capability/8-ch @2MP, 80 Mbps Incoming Bandwidth(up to 4 channels), 1× SATA Interface(up to 10 TB), 1× 100Mbps Ports, 2× USB 2.0, 12V DC 1.5 A, 1×	2990	3290	
		VGA port & 1× HDMI port(Up to 4K)(Synchronous Outputs) FEATURE: FEATURE: Auto Initialization, Smart Detection Configuration & Alarm, Two-Way Audio, Simultaneous Playback, Streamlined Setup, ONVIF, Remote Monitoring, VIGI App,		0200	OM
			4	16,	_

			8	
	VIOITYVIX. 104H-4P	4 Channel PoE Network Video Recorder SPEC:H.265+/H.265/H.264+/H.2 64, Up to 8MP resolution, Decoding capability/4-ch @4MP,80 Mbps Incoming Bandwidth(up to 4 channels),4× 10/100 Mbps PoE+ Ports, PoE Power 53W, 802.3 af/at,1× SATA Interface(up to 10 TB), 2× USB 2.0, 53.5V DC/1.31A, 1× VGA port & 1× HDMI port(Up to 4K)(Synchronous Outputs), Built-In Speaker, HDD Quick Installation FEATURE:Auto Initialization, Smart Detection Configuration & Alarm, Two-Way Audio, Simultaneous Playback, ONVIF, Remote Monitoring, VIGI App.	5190	5490
Solar Power Supp	oly System	(O.	
	GI SP9030	Intelligent Solar Power Supply System Spec:90W/18V_998*516*30mm Solar Panel; 30Ah/3*12VDC Output Battery, More than 500 cycles; Charging Condition:-20°C ~45°C (With intelligent auxiliary heat); Discharging Condition: -30°C~60°C (With intelligent auxiliary heat); 1*10/100Mbps RJ45 FEATURE:Load Control\Battery Overtemperature Protection\Battery level display\Generation power display\Load power	#####	44990
191. Coll				

					_
Papane V	iP6030	Intelligent Solar Power Supply System Spec: 60W/18V_690*516*30mm Solar Panel; 30Ah/3*12VDC Output Battery, More than 500 cycles; Charging Condition:-20°C~45°C (With intelligent auxiliary heat); Discharging Condition: -30°C ~60°C (With intelligent auxiliary heat); 1*10/100Mbps RJ45 Function: Load Control\Battery Overtemperature Protection\Battery level display\Generation power display\Load power	#####	39990	
₽ to 4 to	3P6020	Intelligent Solar Power Supply System Spec: 60W/18V_690*516*30mm Solar Panel; 20Ah/3*12VDC Output Battery, More than 500 cycles; Charging Condition: -20°C~45°C (With intelligent auxiliary heat); Discharging Condition: -30°C ~60°C (With intelligent auxiliary heat); 1*10/100Mbps RJ45 Function: Load Control\Battery Overtemperature Protection\Battery level display\Generation power and	#####	32990	
Colly		Taisplavit-aparation power and	901	716	